

## Differentiation - Power, Constant, and Sum Rules

**Differentiate each function with respect to  $x$ .**

1)  $y = 5$

2)  $f(x) = 5x^{18}$

3)  $y = 4x^5 + x$

4)  $f(x) = 4x^4 - 5x - 3$

5)  $y = 3x^{\frac{5}{4}}$

6)  $y = \frac{5}{4}x^{\frac{2}{3}}$

7)  $y = -4x^{-5}$

8)  $y = \frac{3}{x^3}$

9)  $y = x^{\frac{2}{3}}$

10)  $f(x) = -2\sqrt[4]{x}$

$$11) y = \frac{2}{3}x^4 + 5x - x^{-3}$$

$$12) y = -\frac{1}{2}x^4 + 3x^{\frac{5}{3}} + 2x$$

**Differentiate each function with respect to the given variable.**

$$13) y = -3r^5 - 5r^2$$

$$14) f(s) = -\frac{3}{s^2} - \frac{4}{s^4}$$

$$15) f(x) = \frac{2}{3}x^{\frac{3}{2}} - \frac{3}{4}x^{\frac{3}{5}}$$

$$16) h(s) = \sqrt{2} \cdot \sqrt[3]{s} + \sqrt{2} \cdot \sqrt[5]{s}$$

**Differentiate each function with respect to  $x$ . Problems may contain constants  $a$ ,  $b$ , and  $c$ .**

$$17) y = 5c$$

$$18) y = 4ax^{3a} - bx^{3c}$$

## Differentiation - Power, Constant, and Sum Rules

**Differentiate each function with respect to  $x$ .**

1)  $y = 5$

$$\frac{dy}{dx} = 0$$

2)  $f(x) = 5x^{18}$

$$f'(x) = 90x^{17}$$

3)  $y = 4x^5 + x$

$$\frac{dy}{dx} = 20x^4 + 1$$

4)  $f(x) = 4x^4 - 5x - 3$

$$f'(x) = 16x^3 - 5$$

5)  $y = 3x^{\frac{5}{4}}$

$$\frac{dy}{dx} = \frac{15x^{\frac{1}{4}}}{4}$$

6)  $y = \frac{5}{4}x^{\frac{2}{3}}$

$$\begin{aligned} \frac{dy}{dx} &= \frac{5}{6}x^{-\frac{1}{3}} \\ &= \frac{5}{6x^{\frac{1}{3}}} \end{aligned}$$

7)  $y = -4x^{-5}$

$$\begin{aligned} \frac{dy}{dx} &= 20x^{-6} \\ &= \frac{20}{x^6} \end{aligned}$$

8)  $y = \frac{3}{x^3}$

$$\begin{aligned} \frac{dy}{dx} &= -9x^{-4} \\ &= -\frac{9}{x^4} \end{aligned}$$

9)  $y = x^{\frac{2}{3}}$

$$\begin{aligned} \frac{dy}{dx} &= \frac{2}{3}x^{-\frac{1}{3}} \\ &= \frac{2}{3x^{\frac{1}{3}}} \end{aligned}$$

10)  $f(x) = -2\sqrt[4]{x}$

$$\begin{aligned} f'(x) &= -\frac{1}{2}x^{-\frac{3}{4}} \\ &= -\frac{1}{2x^{\frac{3}{4}}} \end{aligned}$$

$$11) y = \frac{2}{3}x^4 + 5x - x^{-3}$$

$$\begin{aligned} \frac{dy}{dx} &= \frac{8}{3}x^3 + 5 + 3x^{-4} \\ &= \frac{8x^3}{3} + 5 + \frac{3}{x^4} \end{aligned}$$

$$12) y = -\frac{1}{2}x^4 + 3x^{\frac{5}{3}} + 2x$$

$$\frac{dy}{dx} = -2x^3 + 5x^{\frac{2}{3}} + 2$$

**Differentiate each function with respect to the given variable.**

$$13) y = -3r^5 - 5r^2$$

$$\frac{dy}{dr} = -15r^4 - 10r$$

$$14) f(s) = -\frac{3}{s^2} - \frac{4}{s^4}$$

$$\begin{aligned} f'(s) &= 6s^{-3} + 16s^{-5} \\ &= \frac{6}{s^3} + \frac{16}{s^5} \end{aligned}$$

$$15) f(x) = \frac{2}{3}x^{\frac{3}{2}} - \frac{3}{4}x^{\frac{3}{5}}$$

$$\begin{aligned} f'(x) &= x^{\frac{1}{2}} - \frac{9}{20}x^{-\frac{2}{5}} \\ &= x^{\frac{1}{2}} - \frac{9}{20x^{\frac{2}{5}}} \end{aligned}$$

$$16) h(s) = \sqrt{2} \cdot \sqrt[3]{s} + \sqrt{2} \cdot \sqrt[5]{s}$$

$$\begin{aligned} h'(s) &= \frac{1}{3}s^{-\frac{2}{3}}\sqrt{2} + \frac{1}{5}s^{-\frac{4}{5}}\sqrt{2} \\ &= \frac{\sqrt{2}}{3s^{\frac{2}{3}}} + \frac{\sqrt{2}}{5s^{\frac{4}{5}}} \end{aligned}$$

**Differentiate each function with respect to  $x$ . Problems may contain constants  $a$ ,  $b$ , and  $c$ .**

$$17) y = 5c$$

$$\frac{dy}{dx} = 0$$

$$18) y = 4ax^{3a} - bx^{3c}$$

$$\frac{dy}{dx} = 12a^2x^{3a-1} - 3bcx^{3c-1}$$